ELSEVIER

Analytica Chimica Acta 320 (1996) 297–299

ANALYTICA CHIMICA ACTA

Author Index

Aldhaheri, S.M., see El-Shahawi, M.S. 277
Arias, J.J., see Hernández, O. 177

Baasner, J., see Guo, T. 171
Barek, J.
—, Fogg, A.G., Moreira, J.C., Zanoni, M.V.B. and Zima, J.
Polarographic and voltammetric determination of selected triazine-based azo dyes with different reactive groups 31
Bausells, J., see Casabó, J. 63
Bechmann, I.E.
Determination of formaldehyde in frozen fish with formaldehyde dehydrogenase using a flow injection system with an incorporated gel-filtration chromatography column 155
Benes, R., see Trinkel, M. 235
Boquien, C.Y., see Joyeux, C. 77
Brinkman, U.A.Th., see Steijger, O.M. 99

Casabó, J.
—, Escriche, L., Pérez-Jiménez, C., Muñoz, J.A., Teixidor, F., Bausells, J. and Errachid, A.
Application of a new phosphadithiamacrocycle to ClO_4^--selective CHEMFET and ion-selective electrode devices 63
Čelková, A., see Polakovičová, J. 145
Chaniotakis, N.A., see Vamvakaki, M. 53
Chau, Y.K.
—, Yang, F. and Maguire, R.J.
Improvement of extraction recovery for the monobutyltin species from sediment 165
Chen, K., see Liu, D. 245
Chrzavzez, E., see Joyeux, C. 77
Chung, M.-J., see Zen, J.-M. 43
Collado-Sánchez, C.
—, Pérez-Peña, J., Gelado-Caballero, M.D., Herrera-Melian, J.A. and Hernández-Brito, J.J.
Rapid determination of copper, lead and cadmium in unpurged seawater by adsorptive stripping voltammetry 19
Corrieu, G., see Joyeux, C. 77

Dams, R., see Parent, M. 1
Den Nieuwenboer, H.C.M., see Steijger, O.M. 99
Durán Merás, I., see Espinosa-Mansilla, A. 125

Efstathiou, C.E., see Lianidou, E.S. 107
Efstathiou, C.E., see Zoulis, N.E. 255
El-Shahawi, M.S.
— and Aldhaheri, S.M.
Preconcentration and separation of acaricides by polyether based polyurethane foam 277
Endo, K., see Igarashi, S. 133
Errachid, A., see Casabó, J. 63
Escobar, M.P.
—, Smith, B.W. and Winefordner, J.D.
Determination of metallo-organic species in lubricating oil by electrothermal vaporization inductively coupled plasma mass spectrometry 11
Escriche, L., see Casabó, J. 63
Espinosa-Mansilla, A.
—, Durán Merás, I. and Salinas López, F.
Kinetic behaviour of the malonaldehyde–thiobarbituric acid reaction. Kinetic–fluorimetric determination of malonaldehyde in human serum 125

Fogg, A.G., see Barek, J. 31

Gao, Z.
—, Siow, K.S. and Yeo, L.
Determination of cobalt by catalytic-adsorptive differential pulse voltammetry 229
Ge, K., see Liu, D. 245
Gelado-Caballero, M.D., see Collado-Sánchez, C. 19
Glad, B., see Pontén, E. 87
González, A.G., see Martín, M.J. 191
Gradl, M., see Guo, T. 171
Guo, T.
—, Baasner, J., Gradl, M. and Kistner, A.
Determination of mercury in saliva with a flow-injection system 171

Han, M.S., see Lim, H.B. 185
Hauser, P.C., see Müller, B. 69
Havel, J., see Hernández, O. 177
Hernández-Brito, J.J., see Collado-Sánchez, C. 19
Hernández, O.
—, Jiménez, F., Jiménez, A.I., Arias, J.J. and Havel, J.
Multicomponent flow injection based analysis with diode array detection and partial least squares multivariate calibration evaluation. Rapid determination of Ca(II) and Mg(II) in waters and dialysis liquids 177
Herrera-Melian, J.A., see Collado-Sánchez, C. 19
Holthuis, J.J.M., see Steijger, O.M. 99
Hüller, J., see Pham, M.T. 289

Igarashi, S.
— and Endo, K.
Room temperature phosphorescence of palladium(II)–coproporphyrin III complex in a precipitated nonionic surfactant micelle phase: determination of traces of palladium(II) 133
Ioannou, P.C., see Lianidou, E.S. 107
Irgum, K., see Pontén, E. 87

Jiang, Z.-L.
—, Zhao, M.-X. and Liao, L.-X.
Catalytic spectrophotometric methods for the determination of oxalic acid 139
Jiménez, A.I., see Hernández, O. 177
Jiménez, F., see Hernández, O. 177
Joyeux, C.
—, Chrzavzez, E., Boquien, C.Y., Picque, D. and Corrieu, G.
Reusable solid phase immunoassay for the detection of citrate lyase 77
Juskowiak, B.
Efficient quenching of the fluorescence of binaphthyl-based amphiphiles by mercury(II) complexes 115

Karube, I., see Yano, Y. 269
Ke, C.-H., see Wang, C.-F. 207
Kistner, A., see Guo, T. 171
Kubová, J., see Polakovičová, J. 145

Lee, K.J., see Lim, H.B. 185
Lianidou, E.S.
—, Ioannou, P.C., Polydorou, C.K. and Efstathiou, C.E.
Synchronous scanning second derivative spectrofluorimetry for the simultaneous determination of diflunisal and salicylic acid added to serum and urine as ternary complexes with terbium and EDTA 107
Liao, L.-X., see Jiang, Z.-L. 139
Lim, H.B.
—, Han, M.S. and Lee, K.J.
Determination of trace elements in human serum by inductively coupled plasma atomic emission spectrometry with flow injection 185
Lingeman, H., see Steijger, O.M. 99
Liu, D.
—, Chen, K., Yin, A., Ge, K., Nie, L. and Yao, S.
Theory of the surface acoustic wave/impedance sensor system and its application to the end-point determination in titrimetry 245

Maguire, R.J., see Chau, Y.K. 165
Manchanda, V.K.
—, Mohapatra, P.K. and Veeraraghavan, R.
3-Phenyl-4-benzoyl-5-isoxazolone: A promising chelate extractant for actinide separation from acidic nuclear waste solutions 151
Martín, M.J.
—, Pablos, F. and González, A.G.
Application of pattern recognition to the discrimination of roasted coffees 191
Matz, W., see Pham, M.T. 289
Medved', J., see Polakovičová, J. 145
Min, R.W.
—, Nielsen, J. and Villadsen, J.
On-line monitoring of glucose and penicillin by sequential injection analysis 199
Moens, L., see Parent, M. 1
Mohapatra, P.K., see Manchanda, V.K. 151
Möller, D., see Pham, M.T. 289
Moreira, J.C., see Barek, J. 31
Müller, B.
— and Hauser, P.C.
Effect of pressure on the potentiometric response of ion-selective electrodes and reference electrodes 69
Muñoz, J.A., see Casabó, J. 63

Nie, L., see Liu, D. 245
Nielsen, J., see Min, R.W. 199

O'Leary, P., see Trinkel, M. 235

Pablos, F., see Martín, M.J. 191
Parent, M.
—, Vanhoe, H., Moens, L. and Dams, R.
Evaluation of a flow injection system combined with an inductively coupled plasma mass spectrometer with thermospray nebulization for the determination of trace levels of platinum 1
Pérez-Jiménez, C., see Casabó, J. 63
Pérez-Peña, J., see Collado-Sánchez, C. 19
Pham, M.T.
—, Matz, W., Möller, D. and Hüller, J.
Ion beam sensitized SiO_2 surface for halide ions 289
Picque, D., see Joyeux, C. 77
Polakovičová, J.
—, Medved', J., Streško, V., Kubová, J. and Čelková, A.
Spectrographic determination of gold in geological materials after preconcentration on Spheron-Thiol 145
Polydorou, C.K., see Lianidou, E.S. 107
Pontén, E.
—, Glad, B., Stigbrand, M., Sjögren, A. and Irgum, K.
Non-porous spherical polymer particles for luminescent solid phase detection reactors 87
Priyantha, N.
— and Weerabahu, D.
Amperometric sensor for Propanil 263

Reininger, F., see Trinkel, M. 235

Sakamoto, H., see Tomiyasu, T. 217
Salinas López, F., see Espinosa-Mansilla, A. 125
Siow, K.S., see Gao, Z. 229
Sjögren, A., see Pontén, E. 87
Smilde, A.K., see Steijger, O.M. 99
Smith, B.W., see Escobar, M.P. 11
Steijger, O.M.
—, Den Nieuwenboer, H.C.M., Lingeman, H., Brinkman, U.A.Th., Holthuis, J.J.M. and Smilde, A.K.

Enhancement of peroxyoxalate chemiluminescence by copper(II) in flow injection analysis; optimization by factorial design analysis 99
Stigbrand, M., see Pontén, E. 87
Streško, V., see Polakovičová, J. 145

Tamiya, E., see Yano, Y. 269
Teixidor, F., see Casabó, J. 63
Tomiyasu, T.
—, Sakamoto, H. and Yonehara, N.
Kinetic and mechanistic study of the chlorpromazine–hydrogen peroxide reaction for the catalytic spectrophotometric determination of iodide 217
Trettnak, W., see Trinkel, M. 235
Trinkel, M.
—, Trettnak, W., Reininger, F., Benes, R., O'Leary, P. and Wolfbeis, O.S.
Study of the performance of an optochemical sensor for ammonia 235

Vamvakaki, M.
— and Chaniotakis, N.A.
Solid-contact ion-selective electrode with stable internal electrode 53
Vanhoe, H., see Parent, M. 1
Veeraraghavan, R., see Manchanda, V.K. 151
Villadsen, J., see Min, R.W. 199

Wang, C.-F.
—, Yang, J.-Y. and Ke, C.-H.
Multi-element analysis of airborne particulate matter by various spectrometric methods after microwave digestion 207
Weerabahu, D., see Priyantha, N. 263
Winefordner, J.D., see Escobar, M.P. 11
Wolfbeis, O.S., see Trinkel, M. 235

Yang, F., see Chau, Y.K. 165
Yang, J.-Y., see Wang, C.-F. 207
Yano, Y.
—, Yokoyama, K., Tamiya, E. and Karube, I.
Direct evaluation of meat spoilage and the progress of aging using biosensors 269
Yao, S., see Liu, D. 245
Yeo, L., see Gao, Z. 229
Yin, A., see Liu, D. 245
Yokoyama, K., see Yano, Y. 269
Yonehara, N., see Tomiyasu, T. 217

Zanoni, M.V.B., see Barek, J. 31
Zen, J.-M.
— and Chung, M.-J.
Square-wave voltammetric stripping analysis of bismuth(III) at a poly(4-vinylpyridine)/mercury film electrode 43
Zhao, M.-X., see Jiang, Z.-L. 139
Zima, J., see Barek, J. 31
Zoulis, N.E.
— and Efstathiou, C.E.
Preconcentration at a carbon-paste electrode and determination by adsorptive-stripping voltammetry of rutin and other flavonoids 255